



CATTLE SUPREME 8 CTC2.6 MINERAL MEDICATED GRANULAR

Controls active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to Chlortetracycline.

NET WEIGHT 50 LBS. (22.7kg)

ACTIVE DRUG INGREDIENT

Chlortetracycline 2.6 grams/lb.

GUARANTEED ANALYSIS

| | |
|----------------|---------------------------|
| Calcium (Ca) | 14.0% Min. ... 16.0% Max. |
| Phosphorus (P) | 8.0% Min. |
| Salt (NaCl) | 18.0% Min. ... 20.0% Max. |
| Magnesium (Mg) | 2.0% Min. |
| Potassium (K) | 0.5% Min. |
| Copper (Cu) | 2,200 ppm Min. |
| Selenium (Se) | 26.4 ppm Min. |
| Zinc (Zn) | 6,000 ppm Min. |
| Vitamin A | 300,000 IU/lb. Min. |
| Vitamin D-3 | 30,000 IU/lb. Min. |
| Vitamin E | 300 IU/lb. Min. |

INGREDIENTS

Monocalcium Phosphate, Salt, Calcium Carbonate, Dicalcium Phosphate, Distillers Dried Grains/Solubles, Magnesium Oxide, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Sodium Selenite, Cane Molasses, Soybean Oil, Potassium/Magnesium Sulfate, Potassium Chloride, Yeast Culture, Ethylenediamine Dihydriodide, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Choline Chloride, Niacin, Calcium Pantothenate, Riboflavin, Vitamin B-12 Supplement, Biotin, Menadione Dimethylpyrimidinol Bisulfite (Source of Vitamin K Activity), Thiamine, Pyridoxine Hydrochloride, Folic Acid, Ethoxyquin Preservative, Natural and Artificial Flavors, Artificial Color.

FEEDING DIRECTIONS

Feed at the rate listed below to beef cattle under 700 pounds to provide 350 mg of Chlortetracycline daily and .5 mg/lb. of bodyweight per day to beef cattle over 700 pounds. Consult your PEET'S Representative for ration balancing services.

| Cattle Bodyweight (lbs.) | Ounces/Head/Day |
|--------------------------|-----------------|
| 600-700 | 2.2 |
| 800 | 2.5 |
| 1,000 | 3.1 |
| 1,200 | 3.7 |
| 1,400 | 4.3 |

WARNING: Withdrawal 48 hours prior to slaughter. Do not use in calves to be processed for veal.