



FEEDLOT 40/14 RU400 MEDICATED PELLET

For improved feed efficiency for cattle being fed in confinement for slaughter.

NET WEIGHT 50 LBS. (22.7kg)

ACTIVE DRUG INGREDIENTS

Monensin 400 g/ton

GUARANTEED ANALYSIS

| | |
|--|---------------------------|
| Crude Protein (not more than 14% equivalent crude protein from non-protein nitrogen) | 40.0% Min. |
| Crude Fat | 1.8% Min. |
| Crude Fiber | 10.5% Max. |
| Calcium (Ca) | 10.0% Min. ... 12.0% Max. |
| Phosphorus (P) | 0.7% Min. |
| Salt (NaCl) | 2.5% Min. ... 3.5% Max. |
| Potassium (K) | 1.0% Min. |
| Selenium (Se) | 3.2 ppm Min. |
| Vitamin A | 40,000 IU/lb. Min. |
| Vitamin D-3 | 4,000 IU/lb. Min. |
| Vitamin E | 40 IU/lb. Min. |

INGREDIENTS

Soybean Meal, Calcium Carbonate, Linseed Meal, Pork Meat & Bone Meal, Urea, Wheat Middlings, Cane Molasses, Dehydrated Alfalfa Meal, Salt, Distillers Dried Grains/Solubles, Pellet Coating, Potassium/Magnesium Sulfate, Sodium Selenite, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Ethoxyquin Preservative, Mineral Oil, Propionic Acid, Sorbic Acid, Acetic Acid, Benzoic Acid, Ammonium Hydroxide.

FEEDING DIRECTIONS

Feed 1 -pound per head per day continuously to cattle being fed in confinement for slaughter to provide 200 mg of Monensin daily. Consult your **PEET'S** Representative for ration balancing services to provide the optimum usage of grain and roughage and other medicated options available.

CAUTION: Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Do not feed to lactating goats. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and the amount of refusals fed should be taken into consideration to prevent Monensin overdosing. This product does not contain prohibited ruminant animal protein.

WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle.
Do not use in calves to be processed for veal.
